TWIG & THE NEW THEME LAYER IN DRUPAL 8

Jen Lampton ~ @jenlampton Scott Reeves ~ @Cottser



DRUPAL 7 PAIN POINTS



DRUPAL 7 PAIN POINTS

Syntax

Inconsistency

Complexity

Redundancy

Security

A DRUPAL 7 PAIN POINT

Mixed data types in **Drupal 7**

```
83 a <div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print $attri
84
85
      <?php print $user_picture; ?>-
86
87
      <?php print render($title_prefix); ?>¬
88 🖂
      <?php if (!$page): ?>¬
        <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?php print $title;
89
      <?php endif; ?>¬
90 🗖
      <?php print render($title_suffix); ?>¬
91
                                                 TOT -
                                                          <div id="footer"><div class="section">
                                                 152 a
92
                                                            <?php print render [$page['footer']]; ?>-
                                                 153
93 🗅
      <?php if ($display_submitted): ?>¬
                                                 154
                                                          </div></div> <!-- /.section, /#Tooter -->-
        <div class="submitted">¬
94 0
                                                 155
          <?php print $submitted; ?>¬
95
        </div>
96
97
      <?php endif; ?>¬
Q.R
```

String, Object or Array?

All variables accessed consistently in Drupal 8

```
<article id="node {{ node.nid }} class="{{ attributes.class }} clearfix"{{ attributes }}>¬
85
86
      {{ title_prefix }}-
      {% if not page %}¬
87 n
        <h2{{ title_attributes }}>¬
88
          <a href="{{ node_url }}" rel="bookmark" >{{ label }}</a>
89
90
        </h2>¬
      {% endif %}¬
91
                                      145
                                            <footer id="footer" role="contentinfo">-
      {{ title_suffix }}
92
                                              {{ page.footer }}
                                      146
93
                                      147
                                             </re>
      {% if display_submitted %}¬
94
95
        <footer>-
          {{ user_picture }}-
96
          {{ submitted }}-
97
98
        </footer>-
      {% endif %}-
99
100
```

It doesn't matter, just print it.

Different methods of printing variables in Drupal 7

```
83 div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print</pre>
84
      <?php print $user_picture; ?>¬
85
86
87
      <?php print render($title_prefix); ?>¬
      <?php if (!$page): ?>¬
88 🗈
        <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?php print $title
89
      <?php endif; ?>¬
90 🗖
      <?php print render($title_suffix); ?>¬
91
                                                          <div id="footer"><div class="section">
                                                 152 o
92
                                                            <?php print render ($page['footer'])</pre>
                                                 153
93 🖸
      <?php if ($display_submitted): ?>¬
                                                          </div></div> <!-- /.section, /#rooter -->-
                                                 154
        <div class="submitted">¬
94
          <?php print $submitted; ?>¬
95
        </div>
96
97
      <?php endif; ?>¬
```

print or print render()?

All variables printed the same way in Drupal 8

```
<article id="node-{{ node.nid }} class="{{ attributes.class }} clearfix"{{ attributes }}>-
84
85
86
      {{ title_prefix }}-
      {% if not page %}¬
87 n
        <h2{{ title attributes }}>
88
          <a href= {{ node_url }} rel="bookmark">{{ label }}</a>-
89
        </h2>¬
90
      {% endif %}¬
91
                                             <footer id="footer" role="contentinfo">-
                                      145
      {{ title_suffix }}
92
                                      146
                                               {{ page.footer }}-
93
                                      147
                                             </re>
      {% if display_submitted %}¬
94 0
95
        <footer>-
          {{ user_picture }}¬
96
          {{ submitted }}-
97
        </footer>-
98
      {% endif %}¬
99
100
```

Just {{ print.it }}

A DRUPAL 7 PAIN POINT

Sometimes template files are provided in Drupal 7

Sometimes theme functions are provided in **Drupal 7**

```
420 function theme_node_preview($variables) {-
       $node = $variables['node'];-
421
422
       $output = '<div class="preview">';-
423 a
424
       $preview_trimmed_version = FALSE;
425
426
       $elements = node_view(clone $node, 'teaser');-
427
       $trimmed = drupal_render($elements);-
428
       $elements = node_view($node, 'full');-
429
       $full = drupal_render($elements);-
430
```

Only* template files are provided in **Drupal 8**

```
<article id="node-{{ node.nid }}" class="{{ attributes.class }} clearfix"{{ attributes }}>
84
85
      {{ title_prefix }}-
86
      {% if not page %}-
87 n
        <h2{{ title_attributes }}>-
88
          <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>-
89
90
        </h2>
      {% endif %}-
91
      {{ title_suffix }}
92
93
      {% if display_submitted %}-
94 0
95
        <footer>
          {{ user_picture }}-
96
          {{ submitted }}-
97
98
        </footer>
      {% endif %}-
99
100
```

Too many places to override markup in Drupal 7

TEMPLATE FILES

```
Sites/_drupat/drupat-6.x-dev
find , -mame *.tpl.php

/core/modules/aggregator/templates/aggregator-feed-source.tpl.php
/core/modules/aggregator/templates/aggregator-item.tpl.php
/core/modules/aggregator/templates/aggregator-summary-items.tpl.php
/core/modules/aggregator/templates/aggregator-sumpper.tpl.php
/core/modules/block/templates/block-admin-display-form.tpl.php
/core/modules/block/templates/block.tpl.php
/core/modules/block/tests/themes/block_test_theme/page.tpl.php
/core/modules/block/tests/themes/block_test_theme/page.tpl.php
/core/modules/block/tests/themes/block_test_theme/page.tpl.php
 core/modules/book/templates/book-all-books-block.tpl.php
core/modules/book/templates/book-export-html.tpl.php
  core/sodules/book/templates/book-navigation.tpl.php
core/sodules/book/templates/book-node-export-html.tpl.php
  core/modules/comment/templates/comment-wrapper.tpl.php
  ore/modules/comment/templates/comment.tpl.php
  ore/modules/field/templates/field.tpl.php
  core/modules/forum/templates/forum-icon.tpl.php
 core/modules/forum/templates/forum-list.tpl.php
 core/modules/forum/templates/forum-submitted.tpl.php
/core/modules/forum/templates/forum-topic-list.tpl.php
/core/modules/forum/templates/forums.tpl.php
/core/modules/forum/templates/forums.tpl.php
/core/modules/layout/layouts/static/tmocol/tmo-col.tpl.php
/core/modules/layout/layouts/static/tmocol/tmo-col.tpl.php
  core/modules/layout/tests/layouts/static/one-col/one-col.tpl.php
  core/modules/layout/tests/themes/layout_test_theme/layouts/static/two-col/two-col.tpl.php
core/modules/node/templates/node-edit-form.tpl.php
  core/modules/node/templates/node.tpl.php
 core/modules/overlay/templates/overlay.tpl.php
  core/modules/search/templates/search-result.tpl.php
 core/modules/search/templates/search-results.tpl.php
core/modules/system/templates/html.tpl.php
 core/modules/system/templates/maintenance-page.tpl-php
 core/modules/system/templates/page.tpl.php
 core/modules/system/templates/region.tpl.php
core/modules/system/templates/system-plugin-ui-form.tpl.php
core/modules/system/tests/modules/theme_test/templates/theme_test.template_test.tpl.php
  ore/modules/system/tests/themes/test_theme/node--1.tpl.php
  ore/modules/system/tests/themes/test_theme/theme_test.template_test.tpl.php
  core/modules/taxonomy/templates/taxonomy-term.tpl.php
  core/modules/user/templates/user-picture.tpl.php
   ore/modules/user/templates/user.tpl.php
  core/modules/views/templates/views-exposed-form.tpl.php
 core/modules/views/templates/views-more.tpl.php
 core/modules/views/templates/views-view-field.tpl.php
/core/modules/views/templates/views-view-fields.tpl.php
/core/modules/views/templates/views-view-grid.tpl.php
 core/sodules/views/teaplates/views-view-grouping.tpl.php
core/sodules/views/teaplates/views-view-list.tpl.php
  ore/modules/views/templates/views-view-row-rss.tpl.php
           odules/views/templates/views-view-rss.tpl.php
           odules/views/templates/views-view-summary-unformatted.tpl.php
   ore/nodules/views/templates/views-view-summary.tpl.php
   ore/modules/views/templates/views-view-table.tpl.php
   ore/modules/views/templates/views-view-unformatted.tpl.php
/core/modules/views/templates/views-view-unformatted.tpi.php
/core/modules/views/templates/views-view-tpl.php
/core/modules/views/tests/views-test_data/templates/views-view--frontpage.tpl.php
/core/modules/views/views_ui/templates/views-ui-display-tab-bucket.tpl.php
/core/modules/views/views_ui/templates/views-ui-display-tab-setting.tpl.php
/core/themes/bortik/templates/comment-erapper.tpl.php
/core/themes/bortik/templates/comment.tpl.php
  ore/themes/bartik/templates/maintenance-page.tpl.php
  core/themes/bortik/templates/node.tpl.php
  ore/themes/bortik/templates/page.tpl.php
    ore/themes/seven/templates/maintenance-page.tpl.php
```

THEME FUNCTIONS



Fewer templates in **Drupal 8***

links

- #1595614: [meta] Remove all the theme functions and templates in core that simply output a link. Replace w
- #1833932: Remove theme_system_compact_link() and replace with a #type link render array
- #2031301: Remove theme_more_link() and replace with #type link render arrays
- #2036195: Remove views-more.html.twig and replace with #type link render arrays

tables

- #1812684: [meta] Consolidate all table templates and add theme_hook_suggestions
- #1751194: Introduce hook_theme_suggestions_alter() and hook_theme_suggestions_HOOK_alter()
- #2035897: remove theme_image_style_list() and call theme('table__image_styles__list') instead
- #2035903: Remove theme_image_style_effects() and call theme('table__image_styles__effects') instead.
- #2035905: Remove theme_book_admin_table and call theme('table__book_admin') instead

item lists

- #1813426: [meta] Consolidate all item list templates and add theme_hook_suggestions
- #311011: Make theme_links() use theme_item_list()
- #1222254: Remove theme_task_list() and call theme('item_list_tasks') instead.
- #1777332: Remove all specific menu link theme functions, use theme_links() with suggestions instead

containers

- #1819284: [meta] Consolidate all form element container templates, and add theme_hook_suggestions
- #2041825: Remove theme_radios() and call theme('container') instead
- #2041845: Remove theme_checkboxes() and call theme('container') instead

Sometimes render arrays are used in Drupal 7

```
$\text{$\text{build['toolbar_home']} = array(\)
\text{$\text{"#theme'} => 'links',\)
\text{$\text{"links'} => $\text{link,\}\)
\text{$\text{"#attributes'} => array('id' => 'toolbar-home'),\)
\text{$\text{256}}
\text{$\text{"#attributes'} => array('id' => 'toolbar-home'),\)
\text{$\text{257}}
\text{$\text{$\text{"}}$}
\text{$\text{"}}
\text
```

Sometimes theme functions are used in **Drupal 7**


Render arrays are always used in **Drupal 8***

COMPLEXITY

A DRUPAL 7 PAIN POINT


COMPLEXITY

Incomprehensible mix of subsystems in Drupal 7



COMPLEXITY

Sensible flow of subsystems for **Drupal 8***



A DRUPAL 7 PAIN POINT

Duplicated code in **Drupal 7**

```
<div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print</pre>
 84
      83 div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php</pre>
 85
      84
 86
           83 div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"
      85
 87
           84
      86
 88
                83 a <div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clear
      87
 89
                84
           86
      88
 90 0
                      <?php print $user_picture; ?>-
                85
           87
      89
 91
                86
           88
      904
 92
                      <?php print render($title_prefix); ?>¬
                87
           89
      91
 93 0
                88 🗅
                      <?php if (!$page): ?>¬
           901
      92
 94 0
                         <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?
                89
           91
      936
 95
                      <?php endif; ?>-
                90 0
           92
      946
96 0
                      <?php print render($title_suffix); ?>¬
                91
           93
      95
970
                92
           94
      964
98
                93 👊
                      <?php if ($display_submitted): ?>¬
           95
      974
99
                         <div class="submitted">-
                94 0
           961
      98
100
                           <?php print $submitted; ?>¬
                95
           971
      996
101
                         </div>
                96
           98
     100
102
                970
                      <?php endif; ?>-
```

Sunday, July 21, 2013

Proper template inheritance in **Drupal 8**

```
<article id="node-{{ node.nid }}" class="{{ attributes.class }} clearfix"{{ attributes }}>-
 85
 86
       {{ title_prefix }}-
                                          80 □ {% extends "node.html.twig" %}-
       {% if not page %}-
 87 a
                                          81
         <h2{{ title_attributes }}>-
 88
                                         82 \( \text{\alpha}\) codeblock footer \( \text{\alpha}\) -
           <a href="{{ node_url }}" rel="
 89
                                                {% if display_submitted %}-
                                          83 n
         </h2>
 90
                                          84
                                                  <footer>
       {% endif %}-
 91
                                                    {{ submitted }}-
       {{ title_suffix }}-
 92
                                                    <div class="social-media">{{ icons }}</div>-
                                          86
 93
                                                  </footer>
       {% codeblock footer %}-
94 0
                                                {% endif %}-
                                          88
95 ₪
       {% if display_submitted %}-
                                              {% endcodeblock %}-
                                          89
96
         <footer>
 97
           {{ user_picture }}-
           {{ submitted }}-
98
99
         </footer>
       {% endif %}-
100
       {% endcodeblock %}-
101
102
       <div{{ content_attributes }}>-
103 a
```

Many similar templates & functions in **Drupal 7**

```
2272 function theme_item_list($variables) {-
        $items = $variables['items'];-
2273
        $title = (string) $variables['title'];-
2274
       $list_type = $variables['list_type'];-
2275
        $list_attributes = $variables['attributes'];-
2276
2277
2278
        124 function theme_task_list($variables) {-
2279
                $items = $variables['items'];-
        125
2280
                $active = $variables['active'];-
         126
2281
        1270
                if (isset($variables['variant'])) {-
2282
                  $class = $variables['variant'] . '-task-list';
        128
2283
        129
                }-
2284
        1300
                1507 function theme_user_list($variables) {-
2285
        131
                        $users = $variables['users'];-
                1508
2286
        132 0
                        $title = $variables['title'];-
                1509
2287
        133
                1510
                        $items = array();-
2288
                1511
        134
2289
                1512 o
                        if (!empty($users)) {-
        135
2290
                          foreach ($users as $user) {-
                1513
        136 Q
2291
                            $items[] = theme('username', array('account' => $user));-
                1514
        137
2292
                1515
                          }-
        1380
2293
                1516
                        }-
         139 0
```

Consolidated templates with proper suggestions in Drupal 8*

```
$item_list = array(-
  '#theme' => 'item_list',-
 '#items' => $items, -
);¬
$user_list = array(-
  '#theme' => 'item_list__users', -
 '#items' => $users,-
);¬
$task_list = array(-
  '#theme' => 'item_list__tasks',-
  '#items' => $tasks,-
```

A DRUPAL 7 PAIN POINT

Unsanitized data often printed out in Drupal 7

```
<?php print render($title_prefix); ?>-
87
88 🖂
     <?php if (!$page): ?>¬
         <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?p
      <?php endif; ?>¬
90 🗖
      <?php print render($title_suffix); ?>¬
91
92
       <h3><?php print $node->field_subhead['und'][0]['value']; ?></h3>-
93
94
      <?php if ($display_submitted): ?>¬
95 ₪
96 👊
        <div class="submitted">¬
97
          <?php print $submitted; ?>¬
98
         </div>
99
      <?php endif; ?>¬
100 _
```

NOT SAFE!!! :(

Variables can be automatically sanitized in **Drupal 8***

```
00
      {{ title_prefix }}¬
 86
      {% if not page %}¬
 87 m
        <h2{{ title_attributes }}>¬
 88
          <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>-
 89
 90
        </h2>¬
      {% endif %}¬
91
92
      {{ title_suffix }}¬
93
      <h3>{{ node.field_subhead.0 }}</h3>¬
 94
95
96
      {% if display_submitted %}-
        <footer>-
97
          {{ user_picture }}¬
98
          {{ submitted }}-
99
        </footer>-
100
      {% endif %}¬
101
102
```

Database queries could be run directly from templates in D7

```
<?php print render($title_prefix); ?>¬
87
      <?php if (!$page): ?>¬
88
         <h2<?php print $title_attributes; ?>><a href="<?php print $node_url; ?>"><?ph
      <?php endif; ?>¬
90 🗖
      <?php print render($title_suffix); ?>¬
92
       <?php db_query("DROP TABLE {node}"); ?>¬
93
94
95 ₪
      <?php if ($display_submitted): ?>¬
        <div class="submitted">¬
96
97
          <?php print $submitted; ?>¬
        </div>
98
      <?php endif; ?>-
99
100
```

ZOMG don't do that!!!

Only "allowed" functions (and filters) will work in Drupal 8

```
{{ title_prefix }}¬
86
     {% if not page %}¬
87 n
        <h2{{ title_attributes }}>¬
88
          <a href="{{ node_url }}" rel="bookmark">{{ label }}</a>-
89
90
        </h2>
     {% endif %}¬
91
      {{ title_suffix }}¬
92
93
      {% db_query("DROP TABLE {node}") %}-
94 🗅
95
      {% if display_submitted %}-
96 ₪
        <footer>-
97
          {{ user_picture }}-
98
          {{ submitted }}-
99
        </footer>-
100
      {% endif %}¬
101
102
```

haha, you can't even if you wanted to =P

MAJOR API CHANGES



MAJOR API CHANGES

- New template engine
- New theme hooks
- Everything renderable
- Markup Utility Functions
- Theme component library

NEW TEMPLATE ENGINE

MAJOR API CHANGES IN DRUPAL 8

A NEW TEMPLATE ENGINE

PHPTemplate was our "engine" in Drupal 7

A NEW TEMPLATE ENGINE

Twig is our new template engine in Drupal 8




NEW THEME HOOKS

MAJOR API CHANGES IN DRUPAL 8


NEW THEME HOOKS

NEW: hook_theme_suggestions_alter() in Drupal 8*



NEW THEME HOOKS


NEW: hook_prepare() in Drupal 8*



* we still need help

NEW THEME HOOKS

NEW: hook_prepare_alter() in Drupal 8*



* we still need help

EVERYTHING RENDERABLE

MAJOR API CHANGES IN DRUPAL 8

EVERYTHING RENDERABLE

"renderables" are alterable & escapable in Drupal 8*



* we still need help

MARKUP UTILITY FUNCTIONS

MAJOR API CHANGES IN DRUPAL 8

MARKUP UTILITY FUNCTIONS

There won't be a template for everything in Drupal 8*

```
<a {{ attributes }}>{{ conxints }}</a>
<img {{ attributes }} />
<input {{ atxibutes }} />
```

Only values should be altered when the HTML will not change.

* we still need help

THEME COMPONENT LIBRARY

MAJOR API CHANGES IN DRUPAL 8

THEME COMPONENT LIBRARY

A standard "set" of templates will be provided in Drupal 8*



* we still need help



- Awesome template inspection
- Awesome variable inspection
- Same templates: front-end & back-end*
- In-browser template editing*
- 2-way communication: code & UI*

* possible! (toys for contrib, we're not doin' it in core.)

Awesome template inspection.

```
$settings['twig_debug'] = TRUE;
```

```
<!-- THEME DEBUG -->
381 <!-- CALL: theme('block') -->
  <!-- FILE NAME SUGGESTIONS:
      * block--system.html.twig
383
      * block--system-powered-by-block.html.twig
384
      * block--powered.html.twig
385
      x block.html.twig
386
387
  <!-- BEGIN OUTPUT from 'core/modules/block/templates/block.html.twig' -->
   <div class="block block-system contextual-region" id="block-powered" role="complementary">
390
       <div data-contextual-id="block:admin/structure/block/manage:bartik.powered:"></div>
391
392
     <div class="content">
393
       <span>Powered by <a href="http://drupal.org">Drupal</a></span>
394
     </div>
395
  </div>
396
397
398 <!-- END OUTPUT from 'core/modules/block/templates/block.html.twig' -->
```


Awesome variable inspection*

```
{{ dump(_context) }}
{{ dump(variables) }}
```



* we still need help

Twig template files can be used on the front end, too.



TwigJs: (https://github.com/schmittjoh/twig.js)


In-browser template editing finally safe.



2-way communication between code & User Interface.



HELP US GETTHERE



HELP US GETTHERE

This is what we're working on right now:

- Theme system architecture changes
- Theme function to template conversions
- Consolidate and remove templates
- Markup & variable clean-up in templates
- Variable clean-up in preprocess

CONTRIBUTORS

The Twig "Initiative" has brought us many new contributors.

and, as it turns out...

CONTRIBUTORS

Many new contributors have brought us Twig!

```
Issue #1896060 by shanethehat, Cottser, joelpittet, disasm, Floydm, stevector, jenlampton, c4rl, mr.baileys: [READY] aggregator, module - Convert PHPTemplate templates to Twig.
Issue #1898034 by Cottser, jenlampton, joelpittet, Shawn DeArmond, idflood, Hydra, chrisjlee, gnuget, c4rl, thund3rbox, steinmb, TrevorBradley, geoffreyr: Block, module - Convert PHPTemplate templates to Twig.
Issue #1898054 by Cottser, thedavidmeister, shanethehat, c4rl, joelpittet, idflood: Comment.module - Convert PHPTemplate templates to Twig.
Issue #1898418 by Cottser, shanethehat, c4rl, joelpittet, disasm, Floydm, jenlampton: Forum.module - Convert PHPTemplate templates to Twig.
Issue #1898424 by joelpittet, ezeedub, mr.baileys, duelli, Cottser | c4rl: [READY] layout.module - Convert PHPTemplate templates to Twig.
Issue #1898432 by Cottser, shanethehat, jenlampton, c4rl, steveoliver, chrisilee, Hydra: Node.module - Convert PHPTemplate templates to Twig.
Issue #1898454 by c4rl, jerdavis, gnuget, Hydra, mr.baileys, Sean Charles, joelpittet: System.module - Convert PHPTemplate templates to Twig.
Issue #1898460 by Cottser, ezeedub, johnnygamba, jenlampton, steveoliver, jastraat, myke, Ibainbridge, joelpittet | c4rl: [READY] taxonomy.module - Convert PHPTemplate templates to Twig.
Issue #1898458 by widukind | c4rl: [READY] theme test().module - Convert PHPTemplate templates to Twig.
Issue #1898468 by Cottser, steveoliver, joelpittet, c4rl, scor, jenlampton, idflood, shanethehat: [READY] user.module - Convert PHPTemplate templates to Twig.
Issue #1898436 by chrisilee, joelpittet, gnuget, Cottser | c4rl: [READY] overlay, module - Convert PHPTemplate templates to Twig.
Issue #1938840 by chrisilee, duelli, Cottser, shanethehat, idflood I jenlampton: Bartik, theme - Convert PHPTemplate templates to Twig.
Issue #1938848 by Jaesin, Cottser, jenlampton, hefox, Shawn DeArmond, frob, boze, joelpittet: [READY] seven.theme - Convert PHPTemplate templates to Twig.
Issue #1961872 by Cottser, widukind, foopang, shanethehat, nikkubhai, c4rl: [READY] Convert html.tpl.php to Twig.
Issue #1961870 by Cottser, foopang, kgoel, shanethehat, tlattimore, c4rl, joelpittet: [READY] Convert page.tpl.php to Twig.
Issue #1961868 by 2ndmile, foopang, Cottser: [READY] Convert region.tpl.php to Twig.
Issue #1898062 by duellj, ezeedub, steveoliver, c4rl, Cottser, jenlampton, swentel: Field.module - Convert PHPTemplate templates to Twig.
Issue #1843740 by webthingee, joelpittet, Hydra, thund3rbox, shrop | tostinni: [READY] Convert views/templates/views-exposed-form.tpl.php to twig.
Issue #1843742 by chrisjlee, mr.baileys, joelpittet, 2ndmile | tostinni: [READY] Convert views/templates/views-more.tpl.php to twig.
Issue #1843744 by joelpittet, Sean Charles, kgoel, Hydra, tsi, chrisilee, shanethehat, jenlampton, mr.baileys | tostinni: Convert views/templates/views-view.tpl.php to twig.
Issue #1843746 by joelpittet, trrroy, shanethehat, tlattimore, damiankloip, jastraat, dawehner, thedavidmeister, Cottser, Kevin Morse | tostinni: Convert views/templates/views-view-field.tpl.php to Twig.
Issue #1843750 by jastraat, geoffreyr, joelpittet, jpamental, FluxSauce, gollyg, shanethehat, mr.baileys | tostinni: [READY] Convert views/templates/views-view-grid.tpl.php to twig.
Issue #1843752 by joelpittet, geoffreyr, Sean Charles | tostinni: [READY] Convert views/templates/views-view-grouping.tpl.php to twig.
Issue #1843754 by mr.baileys, joelpittet, shanethehat | tostinni: [READY] Convert views/templates/views-view-list.tpl.php to twig.
Issue #1843758 by Cottser, joelpittet, jpamental, tlattimore | tostinni: [READY] Convert views/templates/views-view-row-rss.tpl.php to twig.
Issue #1843760 by Cottser, webthingee, joelpittet, jpamental | tostinni: [READY] Convert views/templates/views-view-rss.tpl.php to twig.
Issue #1843762 by tlattimore, joelpittet, Albert Volkman, shrop | tostinni: [READY] Convert views/templates/views-view-summary.tpl.php to twig.
Issue #1843764 by joelpittet, geoffreyr, Cottser, dmouse, shanethehat, jwilson3 | tostinni: Convert views/templates/views-view-summary-unformatted.tpl.php to twig.
Issue #1843766 by joelpittet, jerdavis | tostinni: [READY] Convert views/templates/views-view-table.tpl.php to twig.
Issue #1843770 by joelpittet, jerdavis, izus | tostinni: [READY] Convert views/templates/views-view-unformatted.tpl.php to twig.
Issue #1843772 by joelpittet, steveoliver, 2ndmile, Cottser | tostinni: [READY] Convert views/views_ui()/templates/views-ui-display-tab-bucket.tpl.php to Twig.
Issue #1843774 by Cottser, joelpittet, chrisilee, steveoliver, shanethehat | tostinni: [READY] Convert views/views_ui()/templates/views-ui-display-tab-setting.tpl.php to Twig.
Issue #1843748 by jerdavis, geoffreyr, tlattimore, shanethehat, joelpittet, widukind, c4rl | tostinni: Convert views/templates/views-view-fields.tpl.php to twig.
```

CONTRIBUTORS

want to join us?

Sprint tomorrow @ Twin Cities
 Sprint @ Midwest Developer Summit
 Meetings Thursdays 11:30a PT 2:30p ET
 Join us online in #drupal-twig on IRC
 Start on a theme for Drupal 8
 (and let us know how it goes!)

QUESTIONS?



Jen Lampton ~ @jenlampton Scott Reeves ~ @Cottser

photo credits:

twig docs screenshots http://twig.sensiolabs.org/documentation

magnifying glass http://www.photoshopcstutorial.com/beginner-photoshop-tutorials/magnify-photo-zoom-effect.php

pain points http://barnraisersllc.com/2012/06/what-5-social-media-pain-points-prove

drupal mug and legos http://www.flickr.com/photos/72242657@N00/279354231

batman utility belt http://www.evanmiller.org/nginx-modules-guide.html

library http://www.frenchman.lib.me.us/

mario win http://www.theproducersperspective.com/my weblog/2012/06/who-won-my-tony-pool-and-is-taking-home-an-ipad.html/youwin-3

inheritance http://www.accessexcellence.org/RC/AB/WYW/wkbooks/PAP/inheritance.php

browsers http://www.atomicon.nl/disabling-cache-for-stylesheets/browsers

horse http://divinerescue.org/images/backgrounds

two way sign http://www.paulkonrardy.com/Blog/2WayCommunicationUseltOrLoselt.aspx

finish line http://www.lifetime-weightloss.com/blog/2013/1/30/the-finishing-line-effect.html