

# A NEW THEME LAYER FOR DRUPAL 8

Jen Lampton ~ @jenlampton  
Nate Haug ~ @quicksketch



WHO ARE WE?

I AM

quicksketch  
(Nate Haug)

work for Lullabot

working with Drupal since D4.6

contrib maintainer (webform, flag, more) since D4.7

wrote Using Drupal O'Reilly book (D6 version)

added image module & dragon drop into core



I AM

jenlampton  
(Jen Lampton)

work for myself

working with Drupal (since D4.7)

contrib maintainer (youtube, more) since D5

training instructor (since D6)

made sure bunnies were still fuzzy in core

WHO ARE YOU?

# YOU ARE:

Theme developers?  
(D7? D6? D5?)



# YOU ARE:

Theme developers?  
(D7? D6? D5?)

New to Drupal?  
(just want to know what the heck is going on in D8)

# YOU ARE:

Theme developers?  
(D7? D6? D5?)

New to Drupal?  
(just want to know what the heck is going on in D8)

Drupal Experts?  
(also want to know what the heck is going on in D8)



# DRUPAL 8 : A NEW THEME LAYER

# DRUPAL 8 : A NEW THEME LAYER (maybe)



**Dude, Wut?**



WHY?



# DRUPAL 7

(remember how some of you said that you had  
built themes for Drupal 7?)

# DRUPAL 7: POSITIVE




# DRUPAL 7: POSITIVE



flexible



# DRUPAL 7: POSITIVE



A screenshot of a Drupal 7 Krumo debug output. The output is a large, yellow-highlighted array with 25 elements. The elements are listed as follows:


- ... (Array, 25 elements)
- #show\_messages (Boolean) TRUE
- #theme (String, 4 characters ) page
- #theme\_wrappers (Array, 1 element)
- #type (String, 4 characters ) page
- content (Array, 4 elements)
- sidebar\_first (Array, 5 elements)
- sidebar\_second (Array, 4 elements)
- footer (Array, 4 elements)
- #children (String, 0 characters )
- header (Array, 0 elements)
- help (Array, 0 elements)
- page\_top (Array, 0 elements)
- page\_bottom (Array, 0 elements)
- highlighted (Array, 0 elements)
- featured (Array, 0 elements)
- tritych\_first (Array, 0 elements)
- tritych\_middle (Array, 0 elements)
- tritych\_last (Array, 0 elements)
- footer\_firstcolumn (Array, 0 elements)
- footer\_secondcolumn (Array, 0 elements)
- footer\_thirdcolumn (Array, 0 elements)
- footer\_fourthcolumn (Array, 0 elements)
- dashboard\_main (Array, 0 elements)
- dashboard\_sidebar (Array, 0 elements)
- dashboard\_inactive (Array, 0 elements)

Called from /Users/jlampton/Sites/\_drupal/drupal-7.14/themes/bartik/template.php, line 43

Krumo version 0.2.1a | <http://krumo.sourceforge.net>

unified data structures everywhere

# DRUPAL 7: POSITIVE



anyone?



# DRUPAL 7: NEGATIVE



# DRUPAL 7: NEGATIVE

```
?>
<div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print $attributes; ?>>
  <?php print render($title_prefix); ?>
  <?php if (!$page): ?>
    <h2<?php print $title_attributes; ?>>
      <a href="<?php print $node_url; ?>"><?php print $title; ?></a>
    </h2>
  <?php endif; ?>
  <?php print render($title_suffix); ?>

  <?php if ($display_submitted): ?>
    <div class="meta submitted">
      <?php print $user_picture; ?>
      <?php print $submitted; ?>
    </div>
  <?php endif; ?>

  <?php if ($page['featured']): ?>
    <div id="featured"><div class="section clearfix">
      <?php print render($page['featured']); ?>
    </div></div> <!-- /.section, /#featured -->
  <?php endif; ?>
```

Drupal only (weird) syntax

# DRUPAL 7: NEGATIVE

```
?>
<div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print $attributes; ?>>
  <?php print render($title_prefix); ?>
  <?php if (!$page): ?>
    <h2<?php print $title_attributes; ?>>
      <a href="<?php print $node_url; ?>"><?php print $title; ?></a>
    </h2>
  <?php endif; ?>
  <?php print render($title_suffix); ?>

  <?php if ($display_submitted): ?>
    <div class="meta submitted">
      <?php print $user_picture; ?>
      <?php print $submitted; ?>
    </div>
  <?php endif; ?>

  <?php if ($page['featured']): ?>
    <div class="section clearfix">
      <?php print render($page['featured']); ?>
    </div></div> <!-- /.section, /#featured -->
  <?php endif; ?>
```

Object or Array?


# DRUPAL 7: NEGATIVE

```
?>
<div id="node-<?php print $node->nid; ?>" class="<?php print $classes; ?> clearfix"<?php print $attributes; ?>>
  <?php print render($title_prefix); ?>
  <?php if (!$page): ?>
    <h2<?php print $title_attributes; ?>>
      <a href="<?php print $node_url; ?>"><?php print $title; ?></a>
    </h2>
  <?php endif; ?>
  <?php print render($title_suffix); ?>
  <?php if ($display_submitted): ?>
    <div class="meta submitted">
      <?php print $user_picture; ?>
      <?php print $submitted; ?>
    </div>
  <?php endif; ?>
  <?php if ($page['featured']): ?>
    <div id="featured"><div class="section clearfix">
      <?php print render($page['featured']); ?>
    </div></div> <!-- /.section, /#featured -->
  <?php endif; ?>
```

print or print render() ?



# DRUPAL 7: NEGATIVE



complex mix of subsystems

# DRUPAL 7: NEGATIVE

```
<?php db_query("DROP TABLE {node}"); ?>
```

PHP is insecure



# DRUPAL 7: NEGATIVE

```
> find . -name "*.tpl.php"
./aggregator/aggregator-feed-source.tpl.php
./aggregator/aggregator-item.tpl.php
./aggregator/aggregator-summary-item.tpl.php
./aggregator/aggregator-summary-items.tpl.php
./aggregator/aggregator-wrapper.tpl.php
./block/block-admin-display-form.tpl.php
./block/block.tpl.php
./block/tests/themes/block_test_theme/page.tpl.php
./book/book-all-books-block.tpl.php
./book/book-export-html.tpl.php
./book/book-navigation.tpl.php
./book/book-node-export-html.tpl.php
./comment/comment-wrapper.tpl.php
./comment/comment.tpl.php
./field/theme/field.tpl.php
./forum/forum-icon.tpl.php
./forum/forum-list.tpl.php
./forum/forum-submitted.tpl.php
./forum/forum-topic-list.tpl.php
./forum/forums.tpl.php
./node/node.tpl.php
./overlay/overlay.tpl.php
./poll/poll-bar--block.tpl.php
./poll/poll-bar.tpl.php
./poll/poll-results--block.tpl.php
./poll/poll-results.tpl.php
./poll/poll-vote.tpl.php
./profile/profile-block.tpl.php
./profile/profile-listing.tpl.php
./profile/profile-wrapper.tpl.php
./search/search-block-form.tpl.php
./search/search-result.tpl.php
./search/search-results.tpl.php
./simpletest/tests/theme_test.template_test.tpl.php
./system/html.tpl.php
./system/maintenance-page.tpl.php
./system/page.tpl.php
./system/region.tpl.php
./taxonomy/taxonomy-term.tpl.php
./toolbar/toolbar.tpl.php
./user/user-picture.tpl.php
./user/user-profile-category.tpl.php
./user/user-profile-item.tpl.php
./user/user-profile.tpl.php
```

Too many template files



# DRUPAL 7: NEGATIVE



prone to bugs

# DRUPAL 7: NEGATIVE



Drupal 7 is too hard to learn!



# DRUPAL 8

what do we want?



# DRUPAL 8


what do we want?



Something proudly found elsewhere

# DRUPAL 8

what do we want?




Objects



# DRUPAL 8

what do we want?



Objects  
(but not in the templates)



# DRUPAL 8


what do we want?



Secure

# DRUPAL 8

what do we want?



```
user.tpl.php  
node.tpl.php  
comment.tpl.php  
wrapper.tpl.php
```

The right templates



# DRUPAL 8


what do we want?



Consistency



# TWIG



# TWIG

A modern template engine for PHP.



<http://twig.sensiolabs.org>



# TWIG

what's so great about it?

- well documented
- extensible
- secure
- well tested
- IDE integration
- recognizable syntax
  - Python (django)
  - JS (TwigJS)
  - Ruby (Liquid)
- by Symfony's author, Fabien Potencier

# TWIG

what does it look like?

```
{% if items %}
  <{{ type }} class="{{ items.attributes.class }}" {{ items.attributes }}>
  {% for item in items %}
    <li class="{{ item.attributes.class }}" {{ item.attributes }}>
      {{- item -}}
    </li>
  {% endfor %}
</{{ type }}>
{% endif %}
```



# TWIG

what does it look like?

```
{% if items %}  
<{{ type }} class="{{ items.attributes.class }}" {{ items.attributes }}>  
{% for item in items %}  
  <li class="{{ item.attributes.class }}" {{ item.attributes }}>  
    {{- item -}}  
  </li>  
{% endfor %}  
</{{ type }}>  
{% endif %}
```

print with {{ }}

# TWIG

what does it look like?

```
{% if items %}  
<{{ type }} class="{{ items.attributes.class }}" {{ items.attributes }}>  
{% for item in items %}  
  <li class="{{ item.attributes.class }}" {{ item.attributes }}>  
    {{- item -}}  
  </li>  
{% endfor %}  
</{{ type }}>  
{% endif %}
```

commands with {% %}



# TWIG

what does it look like?

```
{% if items %}  
<{{ type }} class="{{ items.attributes.class }}" {{ items.attributes }}>  
  {% for item in items %}  
    <li class="{{ item.attributes.class }}" {{ item.attributes }}>  
      {{- item -}}  
    </li>  
  {% endfor %} {# end for loop #}  
</{{ type }}>  
{% endif %}
```

comments with {# #}

# TWIG

what does it look like?

```
{% if items %}
<{{ type }} class="{{ items.attributes.class }}" {{ items.attributes }}>
{% for item in items %}
  <li class="{{ item.attributes.class }}" {{ item.attributes }}>
    {{- item -}}
  </li>
{% endfor %}
</{{ type }}>
{% endif %}
```

simple and intuitive



# INTERLUDE:

attributes

```
{% if items %}
<{{ type }} class="{{ items.attributes.class }}" {{ items.attributes }}>
{% for item in items %}
  <li class="{{ item.attributes.class }}" {{ item.attributes }}>
    {{- item -}}
  </li>
{% endfor %}
</{{ type }}>
{% endif %}
```

attributes are messy

# INTERLUDE:

attributes

HTML5 attribute types:

String

```
<div class="item-list"></div>
```

Boolean

```
<input type="checkbox" checked />
```

Enumerated

```
<div id="box" contenteditable="true" ></div>
```

attributes are messy



# INTERLUDE:

attributes

We need attributes to be “drillable”

attributes

or

attributes.class

or

attributes.id

# INTERLUDE:

attributes

PHP5 to the rescue!

ArrayAccess

allows objects to be treated as arrays

\_\_toString

allows “flattening” of arrays or objects into HTML strings



# INTERLUDE:

attributes

but, this has nothing to do with TWIG.

so

let's do it now:

<http://drupal.org/node/1290694>

# TWIG

how would it work?

D7

```
function theme_username($variables) {  
  if (isset($variables['link_path'])) {  
    $output = l($variables['name'] . $variables['extra'], $variables['link_path'], $variables['link_options']);  
  }  
  else {  
    $output = '<span' . drupal_attributes($variables['attributes_array']) . '>' . $variables['name'] . $variables['extra'] . '</span>';  
  }  
  return $output;  
}
```

D8

```
{% if link %}  
  <a href="{{ link.path }}" {{ link.attributes }}>{{ name }} {{- extra }}</a>  
{% else %}  
  <span {{ attributes }}>{{ name }} {{- extra }}</span>  
{% endif %}
```

all theme functions become template files.  
a single way to override markup!



# TWIG

how would it work?

D7

```
'comment' => array(  
  'template' => 'comment',  
  'render element' => 'elements',  
)
```


D8

```
'comment' => array(  
  'template' => 'comment',  
  'variables' => array(  
    'title' => NULL,  
    'attributes' => array(),  
    'content' => NULL,  
  ),  
)
```

more like Drupal 6!

# TWIG

how would it work?



there's a lot we still don't know.




why is this good?



# TWIG

why is this good?



look what would happen in Drupal 8.



# TWIG


where does this fit in with SCOTCH?



The “Blocks everywhere” initiative complicates things

# TWIG

where does this fit in with SCOTCH?




Blocks in D7 (in red)



# TWIG

where does this fit in with SCOTCH?



Blocks in D8 (in red)

# TWIG

while we're at it...

PHPTemplate	Twig template	Status
page.tpl.php	-	layouts provided by Scotch
region.tpl.php	-	eliminated in favor of wrapper.twig
block.tpl.php	block.twig	same as wrapper.twig, but uses 'aside' HTML5 tag
node.tpl.php	node.twig	same as wrapper.twig, but uses 'article' HTML5 tag
comment.tpl.php	comment.twig	same as node.twig, here for ease of learning?
comment-wrapper.tpl.php	-	eliminated in favor of wrapper.twig
field.tpl.php	-	eliminated in favor of item_list.twig
forums.tpl.php	-	eliminated in favor of wrapper.twig
search-results.tpl.php	-	eliminated in favor of wrapper.twig, and item_list.twig
search-result.tpl.php	-	eliminated in favor of wrapper.twig

...let's clean up the template files!



# TWIG

“Learnability”

- Easier to learn than PHP
  - Consistent
  - Secure

# TWIG

TWIG will make Drupal easier to learn!



DISCUSS!

# A NEW THEME LAYER FOR DRUPAL 8

@jenlampton | <http://www.jenlampton.com>

@quicksketch | <http://www.quicksketch.org>



## photo credits:

lolcat-wut:

[http://www.funnyjunk.com/funny\\_pictures/1152056/Dude/](http://www.funnyjunk.com/funny_pictures/1152056/Dude/)

lolcat-flexible

<http://icanhascheezburger.com/2008/10/24/funny-pictures-fexlibility-i-haz-it/>

lolcat questionmark

<http://icanhascheezburger.com/2007/10/31/11197/>

questionmark

[http://fr.wikipedia.org/wiki/Fichier:Question\\_mark\\_3d.png](http://fr.wikipedia.org/wiki/Fichier:Question_mark_3d.png)

wheel-reinvented

<http://www.brainwads.net/drewhawkins/2012/01/dont-re-invent-the-wheel-make-something-better/>

objects

[http://2teachers1classroom.blogspot.com/2009\\_02\\_01\\_archive.html](http://2teachers1classroom.blogspot.com/2009_02_01_archive.html)

shapes

[http://englishclass.jp/reading/topic/For\\_Screening\\_Purposes\\_Only](http://englishclass.jp/reading/topic/For_Screening_Purposes_Only)

secure

<http://blog.stratopedia.org/2010/06/03/what-is-a-secure-site/>

consistency

<http://icsigns.org/press/2010/03/23/consistency-staying-on-the-mark/>

twig bird comic

<http://s302.photobucket.com/albums/nn105/walkseva/?action=view&current=thebirdneedsthattwig.gif&currenttag=bird%20park%20twig%20comic%20need%20it>

scotch

<http://www.thespir.it/articles/scotch-101/?viewall=1>

twig

<http://galletly.blogspot.com/2009/10/twig.html>